

Rigid-Lock QuickBerm[®] Durable drive-in spill containment for drums, IBC totes, and tanks



Rigid-Lock QuickBerm[®] Flexible Spill Containment - QuickBerms[®] Flexible Spill Containment Systems

Durable drive-in spill containment for drums, IBC totes, and tanks



- Modified PVC coated fabric is suited for placing heavy materials within the working space, occasional drive-in or –out scenarios and pedestrian traffic
- Chemical resistant and withstands long-term UV exposure great for outdoor use
- Patented Rigid-Lock integral stainless-steel wallsupport system is 30 cm deep and locks at 90° for secure, leakproof containment
- Single-piece construction patented Rigid-Lock wallsupport system integral to berm provides unobstructed work space
- Quick and easy setup no assembly required
- Integrated holes permit easy anchoring under high wind conditions, anchor stakes not included

- Indoor/Outdoor
- For use as secondary containment for outdoor or temporary storage applications of chemicals, transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations thereby safeguarding the environment, preventing costly environmental incidents and regulatory violations, and ensuring safe storage practices.
- Medium duty

Recommended use

Flexible Spill Containment - QuickBerms® Flexible Spill Containment Systems Rigid-Lock QuickBerm®

General

| Brand | Justrite | | | |
|-------------------|--|--|--|--|
| Category | QuickBerms® Flexible Spill Containment Systems | | | |
| Product Number | 2851 | | | |
| Product Family | Spill Control & Environmental | | | |
| Product Group | Flexible Spill Containment | | | |
| Industry | Industrial, Jan-San, Material Handling, Power Generation, Construction, Manufacturing, Aviation, Automotive | | | |
| Product Name | Rigid-Lock QuickBerm® | | | |
| Recommended use | For use as secondary containment for outdoor or temporary storage applications of chemicals, transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations thereby safeguarding the environment, preventing costly environmental incidents and regulatory violations, and ensuring safe storage practices. | | | |
| Shipping Location | Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands | | | |
| Update trigger | 20210310-1303 | | | |
| Usage Intensity | Medium duty | | | |

Sustainability

REACH Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).

Technical Specifications

| Application | For safe outdoor storage of IBC containing chemicals, flammable and hazardous liquids. |
|-----------------|--|
| Drive In | True |
| Material | Modified PVC coated fabric |
| Material Group | PVC |
| Pile Weight (g) | 900 |
| Process | Welding |

Rigid-Lock Quickberm[®]

| - | | | | |
|------------|-----------------------------------|-----------------|----------------|--------------|
| Art. nr. | Art. Nr. Justrite US Ref (ERP) | Dimensions (cm) | Height (cm) | Capacity (L) |
| JEN28527BL | 28527 | 365x1524 | 30.5 | 2745 |
| JENC2851BL | 2851 | 100x100 | 30.5 | 305 |
| JEN28516BL | 28516 | 203x264 | 30.5 | 1344 |
| JEN28514BL | 28514 | 122x264 | 30.5 | 890 |
| JEN28512BL | 28512 | 142x203 | 30.5 | 662 |
| JEN28532BL | 28532 | 630x630 | 30.5 | 11318 |
| JEN28522BL | 28522 | 386x386 | 30.5 | 4069 |
| JEN28518BL | 28518 | 264x264 | 30.5 | 1798 |
| JEN28530BL | 28530 | 508x630 | 30.5 | 9047 |
| JEN28528BL | 28528 | 508x508 | 30.5 | 7230 |
| JEN28519BL | 28519 | 325x325 | 30.5 | 2820 |
| JEN28524BL | 28524 | 386x508 | 30.5 | 5432 |
| JEN28526BL | 28526 | 386x630 | 30.5 | 6795 |
| | | | | |

Accessories



Track Mats Thick durable, the black woven fabric protects the floor and walls from tire abrasion caused by skidding, turning, and



2834 **Track Runners** High visibility, yellow vinyl fabric for inside berms offers moderate protection against abrasion.



Ground Mats Create a smooth, uniform deployment area with this heavyduty woven fabric.



2839 **Berm Repair Kits** Modified PVC Coated Fabric Repair Kit Without Heat Gun



braking.

28326 Replacement Rigid-Lock® 12" Support Assembly

Cross Sell Products

TTEM EuroMat® Medium duty 12 mm solid ground protection mat with handholds made from 100% recycled HDPE.



AlturnaMATS® Medium duty mat with diamond cleat tread