



# Unheated Emergency Safety Shower with Eye/Face Wash

Unheated Emergency Safety Shower with Eye/Face Wash

# Indoor Emergency Safety Showers - Unheated Emergency Safety Shower with Eye/Face Wash

Floor mounted unheated emergency safety shower with stainless steel eye/face wash unit. This ANSI compliant model is ideal for use in indoor applications not subject to the possibility of freezing or overheating.

- Delivers the recommended 76 litres per minute of potable water from the shower and 12 litres per minute to the eye/face wash
- Eye/face wash activation via the push plate, the shower is operated using the pull handle
- Stainless-steel eye/face wash provides improved corrosion resistance and longevity

#### Colors:

- Galvanised Steel
- Stainless Steel

#### Sizes:

- 15cm x 232cm
- 232 x 30.5 x 77cm

#### Accessories:

- Cubicle with Roof for Emergency Safety Showers



# Indoor Emergency Safety Showers - Unheated Emergency Safety Shower with Eye/Face Wash

## General

Brand	Hughes
Product Number	18G85GD
Product Family	Safety Showers & Eyewashes
Product Group	Indoor Emergency Safety Showers
Product Name	Unheated Emergency Safety Shower with Eye/Face Wash
Shipping Location	Stockport, United Kingdom, Barendrecht 2992SB, The Netherlands
Update trigger	20210310-1301

## Technical Specifications

Activation Method Eye Wash	Foot Treadle
Activation Method Shower	Pull Handle

## Indoor galvanised mild steel combination safety shower - Galvanised Steel

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Description	Total height	Weight in kg
HSHD0018GV	EXP-18G/85G(D)	EXP-18G/85G(D) COMBI SHOWER	75x15x232	12

## Indoor stainless-steel combination safety shower - Stainless Steel

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Description	Total height	Weight in kg
HSHD0018SS	EXP-18GS/85G(D)	EXP-18GS/85G(D) COMBI SHOWER	76.7x31x232	12

### Accessories

Cubicle with Roof for  
Emergency Safety  
Showers