Product Service

C E R T I F I C A T E

No. Z1A 031484 0031 Rev. 00

Holder of Certificate: **Justrite Manufacturing Company L.L.C.**
3921 DeWitt Avenue
Mattoon IL 61938
USA

Certification Mark:

Product: **Transportation vessels**
Plunger Can

Tested according to: PPP 52239A:2022
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 034-713229248-000

Valid until: 2028-04-10

Date, 2023-05-03

Horst Kristen

(Horst Kristen)

C E R T I F I C A T E

No. Z1A 031484 0031 Rev. 00

Model(s):   10008, 10108, 10208, 10308, 14018,
10018,10118, 10218, 10318

Parameters:

Model	Dasher Ø [approx. mm]	Dimension Ø x height [approx. mm]	Capacity [approx. l]	Material Dasher
10008	70	124 x 133	0.5	Steel
10108	128	184 x 143	1.0	Steel
10208	128	184 x 200	2.0	Steel
10308	128	184 x 267	4.0	Steel
14018	140	140 x 210	1.0	Brass

Material: Steel, Brass and Ryton, power coated in red, inside tin coating
Model 14018: Container made of PE

Model	Dasher Ø [approx. mm]	Dimension Ø x height [approx. mm]	Capacity [approx. l]	Material Dasher
10018	70	124 x 133	0.5	Steel
10118	128	184 x 143	1.0	Steel
10218	128	184 x 200	2.0	Steel
10318	128	184 x 267	4.0	Steel

Material: Steel, Brass and Ryton, power coated in yellow, inside tin coating